# Index

**IEE Proceedings-H**
**Microwaves, Antennas and Propagation**
**Vol. 138, 1991**

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata
- s synopsis of a paper published in full in another Part of the IEE Proceedings

## Author index


### A

Al-Charchafchi, S.H., and Kanakaris, P. Study of varactor tuned microstrip rhombic resonators p383
Alder, C.J., Brewitt-Taylor, C.R., Dixon, M., Hodges, R.D., Irving, L.D., and Rees, H.D. Microwave and millimetre-wave receivers with integral antenna p253
Allwright, J.S., Baldwin, P.J., Boswell, A.G.P., and Brewster, D.C. see Baldwin, P.J.
Alphones, A., and Tsutsumi, M. Optical probing of millimetre waves in semiconductor waveguides p460
Aly, M.S., and Wong, T.T.Y. Scattering of a transient electromagnetic wave by a dielectric sphere p192
Anderson, F., Christensen, W., Fullerton, L., and Kortegaard, B. Ultra-wideband beamforming in sparse arrays p342
Ando, M., Murasaki, T., and Kinoshita, T. Elimination of false singularities in GTD equivalent edge currents p289
Arvas, E., and Yang, X. see Yang, X.

### B

Baldwin, P.J., Boswell, A.G.P., Brewster, D.C., and Allwright, J.S. Iterative calculation of ship-borne HF antenna performance p151
Benjamin, R., Titze, W., Brennan, P.V., and Griffiths, H.D. Symmetric-pair antennas for beam steering, direction finding or isotropic-reception gain p368
Benson, T.M., Pouladian-Kari, R., and Shapland, A.J. see Pouladian-Kari, R.
Bhattacharyya, A.K. Effects of ground plane truncation on the impedance of a patch antenna p560
Bokhari, S.A., Keer, M., and Gardiol, F.E. TM diffraction by a partly leaky halfplane p397
Bose, T.K., Xu, Y., and Bosisio, R.G. see Xu, Y.
Bosisio, R.G., Xu, Y., and Bose, T.K. see Xu, Y.
Boswell, A.G.P., Baldwin, P.J., Brewster, D.C., and Allwright, J.S. see Baldwin, P.J.
Bouthinon, M., Farail, F., and Roger, A. see Farail, F.
Bradley, C., and Helszajn, J. see Helszajn, J.
Brennan, P.V. Low cost phased array antenna for land-mobile satcom applications p131
Brennan, P.V., Benjamin, R., Titze, W., and Griffiths, H.D. see Benjamin, R.
Brewitt-Taylor, C.R., Alder, C.J., Dixon, M., Hodges, R.D., Irving, L.D., and Rees, H.D. see Alder, C.J.
Brewster, D.C., Baldwin, P.J., Boswell, A.G.P., and Allwright, J.S. see Baldwin, P.J.
Bryukhovetski, A.S., and Pazynin, L.A. Scalar wave scattering by a rough spere: Bourret's approximation for the coherent field of a point source p147
Buck, B.J., Warner, D.J., Pickering, K.L., Pedder, D.J., and Pike, S.J. see Warner, D.J.
Butler, C.M., Courtney, C.C., Mannikko, P.D., and Silvestro, J.W. Flanged parallel-plate waveguide coupled to a conducting cylinder p549

### C

Cai, M., and Ito, M. New type of printed polygonal loop antenna p389
Callaghan, P., Parker, E.A., and Langley, R.J. Influence of supporting dielectric layers on the transmission properties of frequency selective surfaces p448
Cao, C., Van Lil, E., Van de Capelle, A., and Van 't Klooster, K. Plane-polar near-field to far-field transformation with three kinds of Fourier-Bessel eigenvalue expansions p463
Caorsi, S., Gragnani, G.L., and Pastorino, M. Numerical solution to three-dimensional inverse scattering for dielectric reconstruction purposes p497
Capponi, G., and Di Maio, B. Versatile strategy for CAD of multistage low-noise amplifiers p380
Carter, R.G., and Srivastava, V. see Srivastava, V.
Chakraborty, A., Das, B.N., and Gupta, S. see Das, B.N.
Chakraborty, A., Datta, A., and Das, B.N. see Datta, A.
Chang, C.-N., Wong, Y.-C., and Chen, C.H. Hybrid quasistatic analysis for multilayer coplanar lines p307
Chen, C.H., Chang, C.-N., and Wong, Y.-C. see Chang, C.-N.
Chew, W.C., Nie, Z., Liu, Q.H., and Lo, Y.T. Analysis of a probe-fed microstrip disk antenna p185
Chow, Y.L., Yang, J.J., and Fang, D.G. see Yang, J.J.
Chow, Y.L., and Faraji-Dana, R. see Faraji-Dana, R.
Christensen, W., Anderson, F., Fullerton, L., and Kortegaard, B. see Anderson, F.
Ciric, I.R., Hamid, A.-K., and Hamid, M. see Hamid, A.-K.
Clark, A.R., and Fourie, A.P.C. An improvement to the transmission line model of the folded dipole p577
Clarricoats, P.J.B., and Zhou, H. Design and performance of a reconfigurable mesh reflector antenna. Part 1: Antenna design p485
Clarricoats, P.J.B., and Zhou, H. Design and performance of a reconfigurable mesh reflector antenna. Part 2: Antenna performance p493
Cory, H., and Rosenhouse, I. Electromagnetic wave propagation along a chiral slab p51
Courtney, C.C., Butler, C.M., Mannikko, P.D., and Silvestro, J.W. see Butler, C.M.

### D

Da silva, L.C., and Ghosh, S. Analysis of rectangular corrugated structures p335
Das, B.N., Chakraborty, A., and Gupta, S. Analysis of waveguide-fed thick radiating rectangular windows in a ground plane p142
Das, B.N., Datta, A., and Chakraborty, A. see Datta, A.
Datta, A., Das, B.N., and Chakraborty, A. Analysis of a variable height metallic strip in a rectangular waveguide p386
Davis, J.H., Morris, D., and Mayer, C.E. see Morris, D.
Davis, L.E., Gibson, A.A.P., Sloan, R., and Paul, D.K. see Gibson, A.A.P.
de Villiers, M.C., and Malherbe, J.A.G. Isolation of the travelling wave contribution to the backscatter pattern of conducting cylinders p417
Di, X., Michalski, K.A., and Glisson, A.W. see Michalski, K.A.
Di Maio, B., and Capponi, G. see Capponi, G.
Dixon, M., Alder, C.J., Brewitt-Taylor, C.R., Hodges, R.D., Irving, L.D., and Rees, H.D. see Alder, C.J.
Dou, W.-B., Rong, Y., and Li, S.-F. see Rong, Y.
Dujardin, B., Lasri, T., and Leroy, Y. see Lasri, T.
Dutta, H.N., Narayana Rao, D., Krishna Reddy, K., Ravi, K.S., Rao, S.V.B., Kesava Murthy, M.J., Sarkar, S.K., and Reddy, B.M. see Narayana Rao, D.

### E

Eliades, D.E. Path integral analysis of paralaxial radiowave propagation over a nonlevel plateau p521
Elsherbeni, A.Z., Parrikar, R.P., and Kishk, A.A. see Parrikar, R.P.
Engberg, J., and Larsen, T. Extended definitions for noise temperatures of linear noisy one- and two-ports p86

### F

Falls, M.J., Fionda, E., and Westwater, E.R. see Fionda, E.
Fang, D.-G., Wu, K.-L., Spenuk, M., and Litva, J. see Wu, K.-L.
Fang, D.G., Yang, J.J., and Chow, Y.L. see Yang, J.J.
Farail, F., Roger, A., and Bouthinon, M. Finite element method for electromagnetic scattering in a lossy medium p201
Faraji-Dana, R., and Chow, Y.L. AC resistance of two coupled strip conductors p37
Fattouche, M., Jorgenson, M.B., and Nichols, S.T. see Jorgenson, M.B.
Fionda, E., Falls, M.J., and Westwater, E.R. Attenuation statistics at 20.6, 31.65 and 52.85 GHz derived from emission measurements by ground-based microwave radiometers p46
Fourie, A.P.C., and Clark, A.R. see Clark, A.R.
Fralich, R., Wu, K.-L., Litva, J., and Wu, C. see Wu, K.-L.
Fullerton, L., Anderson, F., Christensen, W., and Kortegaard, B. see Anderson, F.

### G

Gardiol, F.E., Bokhari, S.A., and Keer, M. see Bokhari, S.A.
Ghods, A.H., and Rahmat-Samii, Y. Electromagnetic properties of an insulated dipole antenna immersed in an arbitrary medium p497
Ghosh, S., and da Silva, L.C. see Da silva, L.C.
Gibson, A.A.P., Sloan, R., Davis, L.E., and Paul, D.K. Double valued phase constants in gyrotropic waveguides p258
Glisson, A.W., Michalski, K.A., and Di, X. see Michalski, K.A.
Gong, J., Jayasundere, N.D., MacLean, T.S.M., and Wu, Z. Scattering by a perfectly conducting finite size vertical rectangular plate p137
Gragnani, G.L., Caorsi, S., and Pastorino, M. see Caorsi, S.
Griffiths, H.D., Benjamin, R., Titze, W., and Brennan, P.V. see Benjamin, R.
Gupta, S., Das, B.N., and Chakraborty, A. see Das, B.N.

### H

Hänninen, J., Oksanen, M.I., and Tretyakov, S.A. see Oksanen, M.I.
Hall, P.S., and Vetterlein, S.J. see Vetterlein, S.J.
Hamid, A.-K., Ciric, I.R., and Hamid, M. Iterative solution of the scattering by an arbitrary configuration of conducting or dielectric spheres p565
Hamid, M., Hamid, A.-K., and Ciric, I.R. see Hamid, A.-K.
Hansen, V., and Janhsen, A. see Janhsen, A.
Harrington, R.F., Huang, Y., Yang, N., and Lin, S. see Huang, Y.
Hassan, M.A. Numerical modelling technique for the radiation of wire antennas near conducting surfaces p225
Helaly, A., Sebak, A., and Shafai, L. Scattering by a buried conducting object of general shape at low frequencies p213
Helszajn, J., and Bradley, C. Experimental characterisation of a reciprocal microstrip 3-port junction p91
Herscovici, N., and Kastner, R. see Kastner, R.
Heyker, H.C., Schemmann, M.F.C., Kwaspen, J.J.M., and van de Roer, Th.G. see Schemmann, M.F.C.
Hirose, K., and Nakano, H. Dual-spiral slot antennas p32
Hodges, R.D., Alder, C.J., Brewitt-Taylor, C.R., Dixon, M., Irving, L.D., and Rees, H.D. see Alder, C.J.
Honma, T., Nakano, H., Soga, H., and Yamauchi, J. see Nakano, H.
Huang, Y., Yang, N., Lin, S., and Harrington, R.F. Analysis of a post with arbitrary cross-section and height in a rectangular waveguide p475

### I

Irving, L.D., Alder, C.J., Brewitt-Taylor, C.R., Dixon, M., Hodges, R.D., and Rees, H.D. see Alder, C.J.
Ito, M., and Cai, M. see Cai, M.

### J

Janhsen, A., and Hansen, V. Arrays of finite or infinite extent in multilayered media for use as passive frequency-selective surfaces p1
Jayasundere, N.D., Gong, J., MacLean, T.S.M., and Wu, Z. see Gong, J.
Jiang, L., and Schill, R.A. Theory for cylindrical, open ended, complex cavities supporting all $TE_{on}$ modes: Gyrotron application p297

Jones, T.B., and Warrington, E.M. see Warrington, E.M.
Jorgenson, M.B., Fattouche, M., and Nichols, S.T. Applications of minimum redundancy arrays in adaptive beamforming p441

K

Kanakaris, P., and Al-Charchafchi, S.H. see Al-Charchafchi, S.H.
Kastner, R. On the convergence of matrix elements in planar and waveguide problems p532
Kastner, R., and Herscovici, N. Two stage computation of apertures in finite screens p435
Ke, B., and Kishk, A.A. Analysis of spherical circular microstrip antennas p542
Keer, M., Bokhari, S.A., and Gardiol, F.E. see Bokhari, S.A.
Kesava Murthy, M.J., Narayana Rao, D., Krishna Reddy, K., Ravi, K.S., Rao, S.V.B., Dutta, H.N., Sarkar, S.K., and Reddy, B.M. see Narayana Rao, D.
Kinoshita, T., Ando, M., and Murasaki, T. see Ando, M.
Kishk, A.A., Parrikar, R.P., and Elsherbeni, A.Z. see Parrikar, R.P.
Kishk, A.A., and Ke, B. see Ke, B.
Knop, C.M. On the performance of metallic-wall conical horns with centrally-loaded dielectric material p23
Koivisto, P.K., Oksanen, M., and Lindell, I.V. see Oksanen, M.
Kopilovich, L.E., and Sodin, L.G. Two-dimensional aperiodic antenna arrays with a low sidelobe level p233
Kortegaard, B., Anderson, F., Christensen, W., and Fullerton, L. see Anderson, F.
Krishna Reddy, K., Narayana Rao, D., Ravi, K.S., Rao, S.V.B., Kesava Murthy, M.J., Dutta, H.N., Sarkar, S.K., and Reddy, B.M. see Narayana Rao, D.
Kumar, S., and Wells, G. Memory controlled feedforward lineariser suitable for MMIC implementation p9
Kwaspen, J.J.M., Schemmann, M.F.C., Heyker, H.C., and van de Roer, Th.G. see Schemmann, M.F.C.

L

Langley, R.J., Callaghan, P., and Parker, E.A. see Callaghan, P.
Larsen, T., and Engberg, J. see Engberg, J.
Lasri, T., Dujardin, B., and Leroy, Y. Microwave sensor for moisture measurements in solid materials p481
Lehto, A., Tuovinen, J., and Räisänen, A. see Tuovinen, J.
Lehto, A., Tuovinen, J., and Räisänen, A. Proposed method for measurement of absorption loss and beam efficiency of large mm-wave reflector antennas in compact antenna test range by using hot and cold loads p13
Leroy, Y., Lasri, T., and Dujardin, B. see Lasri, T.
Li, S.-F., Rong, Y., and Dou, W.-B. see Rong, Y.
Lier, E., Rengarajan, S., and Rahmat-Samii, Y. Comparison between different rectangular horn elements for array antenna applications p283
Lier, E., and Stoffels, C. Propagation and radiation characteristics of rectangular dielectric-loaded hybrid mode horn p407
Lin, S., Huang, Y., Yang, N., and Harrington, R.F. see Huang, Y.
Lindell, I.V., Oksanen, M., and Koivisto, P.K. see Oksanen, M.
Litva, J., Wu, K.-L., Fralich, R., and Wu, C. see Wu, K.-L.
Litva, J., Wu, K.-L., Spenuk, M., and Fang, D.-G. see Wu, K.-L.
Liu, Q.H., Chew, W.C., Nie, Z., and Lo, Y.T. see Chew, W.C.
Livingston, E.P., Sangster, A.J., and Swan, A. see Sangster, A.J.
Lo, Y.T., Chew, W.C., Nie, Z., and Liu, Q.H. see Chew, W.C.
Louw, W.J. Matrix analysis of split coaxial balun p378
Luk, K.-M., and Tam, W.-Y. see Tam, W.-Y.
Luk, K.-M., and Tam, W.-Y. Patch antennas on a spherical body p103
Luo, S., Thorburn, M., and Tripathi, V.K. Modelling of multiple coupled concentric open and closed microstrip ring structure p573

M

Ma, J.-G. Numerical analysis of the characteristics of TE-modes of waveguides loaded with inhomogeneous dielectrics p109
MacLean, T.S.M., Gong, J., Jayasundere, N.D., and Wu, Z. see Gong, J.
Maddocks, M.C.D., and Smith, M.S. Flat-plate steerable antennas for satellite communications and broadcast reception p159
Malherbe, J.A.G., and de Villiers, M.C. see de Villiers, M.C.
Mannaa, H.M., and Singh, S. see Singh, S.
Mannikko, P.D., Butler, C.M., Courtney, C.C., and Silvestro, J.W. see Butler, C.M.
Mayer, C.E., Morris, D., and Davis, J.H. see Morris, D.
McCowen, A., and Tran, T.V. Matrix interpretation of the spectral iteration technique for 3D dielectric scatterers in the resonance region p219
Michalski, K.A., Di, X., and Glisson, A.W. Rigorous analysis of the $TM_{0n}$ modes in a dielectric-post resonator with an annular slot in the upper plate p429
Molkdar, D. Review on radio propagation into and within buildings p61
Morgan, G.B., Tsutsumi, M., and Shimasaki, H. see Tsutsumi, M.
Morris, D., Davis, J.H., and Mayer, C.E. Experimental assessment of phase retrieval holography of radiotelescope p243
Murasaki, T., Ando, M., and Kinoshita, T. see Ando, M.

N

Nakano, H., Soga, H., Honma, T., and Yamauchi, J. Effects of adding a small disk to a spiral antenna backed by a conducting plane reflector p375
Nakano, H., and Hirose, K. see Hirose, K.
Narayana Rao, D., Krishna Reddy, K., Ravi, K.S., Rao, S.V.B., Kesava Murthy, M.J., Dutta, H.N., Sarkar, S.K., and Reddy, B.M. A study of tropospheric scintillations using SODAR p313
Ng, B.P. Bearing estimation using unity response beamforming approach p537
Nichols, S.T., Jorgenson, M.B., and Fattouche, M. see Jorgenson, M.B.
Nie, Z., Chew, W.C., Liu, Q.H., and Lo, Y.T. see Chew, W.C.

O

Oksanen, M., Koivisto, P.K., and Lindell, I.V. Dispersion curves and fields for a chiral slab waveguide p327
Oksanen, M.I., Hänninen, J., and Tretyakov, S.A. Vector circuit method for calculating reflection and transmission of electromagnetic waves in multilayer chiral structures p513

P

Parker, E.A., Callaghan, P., and Langley, R.J. see Callaghan, P.
Parker, E.A., and Sheikh, A.N.A. El Convoluted array elements and reduced size unit cells for frequency-selective surfaces p19
Parrikar, R.P., Kishk, A.A., and Elsherbeni, A.Z. Scattering from an impedance cylinder embedded in a nonconcentric dielectric cylinder p169
Pastorino, M., Caorsi, S., and Gragnani, G.L. see Caorsi, S.
Paul, D.K., Gibson, A.A.P., Sloan, R., and Davis, L.E. see Gibson, A.A.P.
Pazynin, L.A., and Bryukhovetski, A.S. see Bryukhovetski, A.S.
Pedder, D.J., Warner, D.J., Pickering, K.L., Buck, B.J., and Pike, S.J. see Warner, D.J.
Peng, Z.Q., and Tijhuis, A.G. see Tijhuis, A.G.
Pickering, K.L., Warner, D.J., Pedder, D.J., Buck, B.J., and Pike, S.J. see Warner, D.J.
Pike, S.J., Warner, D.J., Pickering, K.L., Pedder, D.J., and Buck, B.J. see Warner, D.J.
Pouladian-Kari, R., Shapland, A.J., and Benson, T.M. Development of ferrite line pulse sharpeners for repetitive high power applications p504

R

Räisänen, A., Lehto, A., and Tuovinen, J. see Lehto, A.
Räisänen, A., Tuovinen, J., and Lehto, A. see Tuovinen, J.
Rahmat-Samii, Y., Lier, E., and Rengarajan, S. see Lier, E.
Rahmat-Samii, Y., and Ghods, A.H. see Ghods, A.H.
Rao, S.V.B., Narayana Rao, D., Krishna Reddy, K., Ravi, K.S., Kesava Murthy, M.J., Dutta, H.N., Sarkar, S.K., and Reddy, B.M. see Narayana Rao, D.
Ravi, K.S., Narayana Rao, D., Krishna Reddy, K., Rao, S.V.B., Kesava Murthy, M.J., Dutta, H.N., Sarkar, S.K., and Reddy, B.M. see Narayana Rao, D.
Reddy, B.M., Narayana Rao, D., Krishna Reddy, K., Ravi, K.S., Rao, S.V.B., Kesava Murthy, M.J., Dutta, H.N., and Sarkar, S.K. see Narayana Rao, D.
Rees, H.D., Alder, C.J., Brewitt-Taylor, C.R., Dixon, M., Hodges, R.D., and Irving, L.D. see Alder, C.J.
Rengarajan, S., Lier, E., and Rahmat-Samii, Y. see Lier, E.
Roger, A., Farail, F., and Bouthinon, M. see Farail, F.
Rong, Y., Dou, W.-B., and Li, S.-F. Generalised field theory of irregular waveguide partially filled with longitudinally magnetised ferrite p412
Rosenhouse, I., and Cory, H. see Cory, H.

S

Sangster, A.J., Swan, A., and Livingston, E.P. Backward-wave suppression in a very wide-band helix travelling-wave tube using a slow waveguide filter p79
Sarkar, S.K., Narayana Rao, D., Krishna Reddy, K., Ravi, K.S., Rao, S.V.B., Kesava Murthy, M.J., Dutta, H.N., and Reddy, B.M. see Narayana Rao, D.
Schemmann, M.F.C., Heyker, H.C., Kwaspen, J.J.M., and van de Roer, Th.G. Microwave impedance measurements on resonant tunnelling diodes and network model parameter extraction p248
Schill, R.A., and Jiang, L. see Jiang, L.
Sebak, A., Helaly, A., and Shafai, L. see Helaly, A.
Shafai, L., Helaly, A., and Sebak, A. see Helaly, A.
Shapland, A.J., Pouladian-Kari, R., and Benson, T.M. see Pouladian-Kari, R.
Sheikh, A.N.A. El, and Parker, E.A. see Parker, E.A.
Shimasaki, H., Tsutsumi, M., and Morgan, G.B. see Tsutsumi, M.
Silvestro, J.W., Butler, C.M., Courtney, C.C., and Mannikko, P.D. see Butler, C.M.
Singh, S., and Mannaa, H.M. Analysis of infinite periodic array of thin wire radiators with dielectric loading p207
Sloan, R., Gibson, A.A.P., Davis, L.E., and Paul, D.K. see Gibson, A.A.P.
Smith, M.S., and Maddocks, M.C.D. see Maddocks, M.C.D.
Sodin, L.G., and Kopilovich, L.E. see Kopilovich, L.E.
Soga, H., Nakano, H., Honma, T., and Yamauchi, J. see Nakano, H.
Spenuk, M., Wu, K.-L., Litva, J., and Fang, D.-G. see Wu, K.-L.
Srivastava, V., and Carter, R.G. Design of phase velocity tapers in coupled-cavity TWTs p469
Srivastava, V., and Carter, R.G. Determination of sever positions in coupled-cavity TWTs p55
Stefan Johansson, F. Frequency-scanned reflection gratings consisting of ring patches p273
Stoffels, C., and Lier, E. see Lier, E.
Su, Ching-Chuan Analysis of TEM cells using the finite-difference technique and the conjugate gradient method p261
Swan, A., Sangster, A.J., and Livingston, E.P. see Sangster, A.J.

T

Tam, W.-Y., and Luk, K.-M. see Luk, K.-M.
Tam, W.-Y., and Luk, K.-M. Far field analysis of spherical-circular microstrip antennas by electric surface current models p98
Thorburn, M., Luo, S., and Tripathi, V.K. see Luo, S.
Tijhuis, A.G., and Peng, Z.Q. Marching-on-in-frequency method for solving integral equations in transient electromagnetic scattering p347
Titze, W., Benjamin, R., Brennan, P.V., and Griffiths, H.D. see Benjamin, R.
Tran, T.V., and McCowen, A. see McCowen, A.
Tretyakov, S.A., Oksanen, M.I., and Hänninen, J. see Oksanen, M.I.
Tripathi, V.K., Luo, S., and Thorburn, M. see Luo, S.
Tsutsumi, M., Shimasaki, H., and Morgan, G.B. Optical control of wave propagation in microstrip-slot lines at D band p527
Tsutsumi, M., and Alphones, A. see Alphones, A.
Tuovinen, J., Lehto, A., and Räisänen, A. see Lehto, A.
Tuovinen, J., Lehto, A., and Räisänen, A. Phase measurements of millimetre wave antennas at 105–190 GHz with a novel differential phase method p114

V

Van de roer, Th.G., Schemmann, M.F.C., Heyker, H.C., and Kwaspen, J.J.M. see Schemmann, M.F.C.
Van 't Klooster, K., Cao, C., Van Lil, E., and Van de Capelle, A. see Cao, C.
Van Lil, E., Cao, C., Van de Capelle, A., and Van 't Klooster, K. see Cao, C.
Van de Capelle, A., Cao, C., Van Lil, E., and Van 't Klooster, K. see Cao, C.
Vescovo, R. Electromagneti cattering from bodies symmetric with respect mutually orthogonal planes p361
Vetterlein, S.J., and Hall, P.S. Multiple beam microstrip patch array with integrated beamformer p176

W

Warner, D.J., Pickering, K.L., Pedder, D.J., Buck, B.J., and Pike, S.J. Flip chip-bonded GaAs MMICs compatible with foundry manufacture p74

Warrington, E.M., and Jones, T.B. Measurements of the direction of arrival of HF sky wave signals and single site location using a seven element wide aperture (294 m) interferometer array p121
Wells, G., and Kumar, S. see Kumar, S.
Westwater, E.R., Fionda, E., and Falls, M.J. see Fionda, E.
Wong, K.-L. Electromagnetic interference of a plane wave incident on superstrate-loaded microstrip circuits p455
Wong, T.T.Y., and Aly, M.S. see Aly, M.S.
Wong, Y.-C., Chang, C.-N., and Chen, C.H. see Chang, C.-N.
Wu, C., Wu, K.-L., Litva, J., and Fralich, R. see Wu, K.-L.
Wu, K.-L., Litva, J., Fralich, R., and Wu, C. Full wave analysis of arbitrarily shaped line-fed microstrip antennas using triangular finite-element method p42.
Wu, K.-L., Spenuk, M., Litva, J., and Fang, D.-G. Theoretical and experimental study of feed network effects on the radiation pattern of series-fed microstrip antenna arrays p238
Wu, Z., Gong, J., Jayasundere, N.D., and MacLean, T.S.M. see Gong, J.

## X

Xu, Y., Bosisio, R.G., and Bose, T.K. Some calculation methods and universal diagrams for measurement of dielectric constants using open-ended coaxial probes p356

## Y

Yamauchi, J., Nakano, H., Soga, H., and Honma, T. see Nakano, H.
Yang, J.J., Chow, Y.L., and Fang, D.G. Discrete complex images of a three-dimensional dipole above and within a lossy ground p319
Yang, N., Huang, Y., Lin, S., and Harrington, R.F. see Huang, Y.
Yang, X., and Arvas, E. Use of frequency-derivative information in two-dimensional electromagnetic scattering problems p269

## Z

Zehentner, J. TEM wave current distribution on two coaxial arc strips p277
Zhou, H., and Clarricoats, P.J.B. see Clarricoats, P.J.B.

### ACOUSTOELECTRIC EFFECTS

A study of tropospheric scintillations using SODAR. D. Narayana Rao, K. Krishna Reddy, K.S. Ravi, S.V.B. Rao, M.J. Kesava Murthy, H.N. Dutta, S.K. Sarkar and B.M. Reddy p313

### AMPLIFIERS

Design of phase velocity tapers in coupled-cavity TWTs. V. Srivastava and R.G. Carter p469
Versatile strategy for CAD of multistage low-noise amplifiers. G. Capponi and B. Di Maio p380

### ANTENNAS

Design and performance of a reconfigurable mesh reflector antenna. Part 1: Antenna design. P.J.B. Clarricoats and H. Zhou p485
Design and performance of a reconfigurable mesh reflector antenna. Part 2: Antenna performance. P.J.B. Clarricoats and H. Zhou p493
Effects of ground plane truncation on the impedance of a patch antenna. A.K. Bhattacharyya p560
Influence of supporting dielectric layers on the transmission properties of frequency selective surfaces. P. Callaghan, E.A. Parker and R.J. Langley p448
Microwave and millimetre-wave receivers with integral antenna. C.J. Alder, C.R. Brewitt-Taylor, M. Dixon, R.D. Hodges, L.D. Irving and H.D. Rees p253
New type of printed polygonal loop antenna. M. Cai and M. Ito p389

### ANTENNAS (ADAPTIVE)

Applications of minimum redundancy arrays in adaptive beamforming. M.B. Jorgenson, M. Fattouche and S.T. Nichols p441
Bearing estimation using unity response beamforming approach. B.P. Ng p537
Symmetric-pair antennas for beam steering, direction finding or isotropic-reception gain. R. Benjamin, W. Titze, P.V. Brennan and H.D. Griffiths p368

### ANTENNAS (APERTURE)

Flanged parallel-plate waveguide coupled to a conducting cylinder. C.M. Butler, C.C. Courtney, P.D. Mannikko and J.W. Silvestro p549
Two stage computation of apertures in finite screens. R. Kastner and N. Herscovici p435

### ANTENNAS (ARRAYS)

Analysis of infinite periodic array of thin wire radiators with dielectric loading. S. Singh and H.M. Mannaa p207
Applications of minimum redundancy arrays in adaptive beamforming. M.B. Jorgenson, M. Fattouche and S.T. Nichols p441
Arrays of finite or infinite extent in multilayered media for use as passive frequency-selective surfaces. A. Janhsen and V. Hansen p1
Comparison between different rectangular horn elements for array antenna applications. E. Lier, S. Rengarajan and Y. Rahmat-Samii p283
Convoluted array elements and reduced size unit cells for frequency-selective surfaces. E.A. Parker and A.N.A. El Sheikh p19
Frequency-scanned reflection gratings consisting of ring patches. F. Stefan Johansson p273
Influence of supporting dielectric layers on the transmission properties of frequency selective surfaces. P. Callaghan, E.A. Parker and R.J. Langley p448
Low cost phased array antenna for land-mobile satcom applications. P.V. Brennan p131
Multiple beam microstrip patch array with integrated beamformer. S.J. Vetterlein and P.S. Hall p176
Symmetric-pair antennas for beam steering, direction finding or isotropic-reception gain. R. Benjamin, W. Titze, P.V. Brennan and H.D. Griffiths p368
Two-dimensional aperiodic antenna arrays with a low sidelobe level. L.E. Kopilovich and L.G. Sodin p233
Ultra-wideband beamforming in sparse arrays. F. Anderson, W. Christensen, L. Fullerton and B. Kortegaard p342

### ANTENNAS (DIPOLE)

Discrete complex images of a three-dimensional dipole above and within a lossy ground. J.J. Yang, Y.L. Chow and D.G. Fang p319
Electromagnetic properties of an insulated dipole antenna immersed in an arbitrary medium. A.H. Ghods and Y. Rahmat-Samii p497
Iterative calculation of ship-borne HF antenna performance. P.J. Baldwin, A.G.P. Boswell, D.C. Brewster and J.S. Allwright p151

### ANTENNAS (FREQUENCY INPENDENT)

Dual-spiral slot antennas. K. Hirose and H. Nakano p32

### ANTENNAS (HORNS AND FEEDS)

Analysis of waveguide-fed thick radiating rectangular windows in a ground plane. B.N. Das, A. Chakraborty and S. Gupta p142
On the performance of metallic-wall conical horns with centrally-loaded dielectric material. C.M. Knop p23
Propagation and radiation characteristics of rectangular dielectric-loaded hybrid mode horn. E. Lier and C. Stoffels p407

### ANTENNAS (MEASUREMENTS)

Phase measurements of millimetre wave antennas at 105–190 GHz with a novel differential phase method. J. Tuovinen, A. Lehto and A. Räisänen p114
Proposed method for measurement of absorption loss and beam efficiency of large mm-wave reflector antennas in compact antenna test range by using hot and cold loads. A. Lehto, J. Tuovinen and A. Räisänen p13

### ANTENNAS (MICROSTRIP)

Analysis of a probe-fed microstrip disk antenna. W.C. Chew, Z. Nie, Q.H. Liu and Y.T. Lo p185
Analysis of spherical circular microstrip antennas. B. Ke and A.A. Kishk p542
Convoluted array elements and reduced size unit cells for frequency-selective surfaces. E.A. Parker and A.N.A. El Sheikh p19
Dual-spiral slot antennas. K. Hirose and H. Nakano p32
Electromagnetic interference of a plane wave incident on superstrate-loaded microstrip circuits. K.-L. Wong p455
Far field analysis of spherical-circular microstrip antennas by electric surface current models. W.-Y. Tam and K.-M. Luk p98
Flat-plate steerable antennas for satellite communications and broadcast reception. M.C.D. Maddocks and M.S. Smith p159
Full wave analysis of arbitrarily shaped line-fed microstrip antennas using triangular finite-element method. K.-L. Wu, J. Litva, R. Fralich and C. Wu p421
Low cost phased array antenna for land-mobile satcom applications. P.V. Brennan p131
Multiple beam microstrip patch array with integrated beamformer. S.J. Vetterlein and P.S. Hall p176
Patch antennas on a spherical body. K.-M. Luk and W.-Y. Tam p103
Theoretical and experimental study of feed network effects on the radiation pattern of series-fed microstrip antenna arrays. K.-L. Wu, M. Spenuk, J. Litva and D.-G. Fang p238

### ANTENNAS (MILLIMETRE WAVE)

Phase measurements of millimetre wave antennas at 105–190 GHz with a novel differential phase method. J. Tuovinen, A. Lehto and A. Räisänen p114

### ANTENNAS (REFLECTORS)

Design and performance of a reconfigurable mesh reflector antenna. Part 1: Antenna design. P.J.B. Clarricoats and H. Zhou p485
Design and performance of a reconfigurable mesh reflector antenna. Part 2: Antenna performance. P.J.B. Clarricoats and H. Zhou p493
Effects of adding a small disk to a spiral antenna backed by a conducting plane reflector. H. Nakano, H. Soga, T. Honma and J. Yamauchi p375
Frequency-scanned reflection gratings consisting of ring patches. F. Stefan Johansson p273

### ANTENNAS (SLOT)

Analysis of waveguide-fed thick radiating rectangular windows in a ground plane. B.N. Das, A. Chakraborty and S. Gupta p142
Dual-spiral slot antennas. K. Hirose and H. Nakano p32
New type of printed polygonal loop antenna. M. Cai and M. Ito p389
Rigorous analysis of the $TM_{0q}$ modes in a dielectric-post resonator with an annular slot in the upper plate. K.A. Michalski, X. Di and A.W. Glisson p429

### ANTENNAS (THEORY)

Electromagnetic properties of an insulated dipole antenna immersed in an arbitrary medium. A.H. Ghods and Y. Rahmat-Samii p497
Elimination of false singularities in GTD equivalent edge currents. M. Ando, T. Murasaki and T. Kinoshita p289

### ANTENNAS (TIME DOMAIN)

Ultra-wideband beamforming in sparse arrays. F. Anderson, W. Christensen, L. Fullerton and B. Kortegaard p342

### ANTENNAS (TRAVELLING WAVE)

Isolation of the travelling wave contribution to the backscatter pattern of conducting cylinders. M.C. de Villiers and J.A.G. Malherbe p417

### ANTENNAS (WIRE)

Analysis of infinite periodic array of thin wire radiators with dielectric loading. S. Singh and H.M. Mannaa p207
Iterative calculation of ship-borne HF antenna performance. P.J. Baldwin, A.G.P. Boswell, D.C. Brewster and J.S. Allwright p151
Numerical modelling technique for the radiation of wire antennas near conducting surfaces. M.A. Hassan p225

### ARRAY PROCESSING

Bearing estimation using unity response beamforming approach. B.P. Ng p537

### COAXIAL COMPONENTS

Matrix analysis of split coaxial balun. W.J. Louw p378
Some calculation methods and universal diagrams for measurement of dielectric constants using open-ended coaxial probes. Y. Xu, R.G. Bosisio and T.K. Bose p356
TEM wave current distribution on two coaxial arc strips. J. Zehentner p277

### CODES AND DECODING

Experimental assessment of phase retrieval holography of radiotelescope. D. Morris, J.H. Davis and C.E. Mayer p243

### COMPUTER-AIDED DESIGN

Versatile strategy for CAD of multistage low-noise amplifiers. G. Capponi and B. Di Maio p380

### DIELECTRIC MATERIALS

Analysis of infinite periodic array of thin wire radiators with dielectric loading. S. Singh and H.M. Mannaa p207
Dispersion curves and fields for a chiral slab waveguide. M. Oksanen, P.K. Koivisto and I.V. Lindell p327
Numerical solution to three-dimensional inverse scattering for dielectric reconstruction purposes. S. Caorsi, G.L. Gragnani and M. Pastorino p497
Propagation and radiation characteristics of rectangular dielectric-loaded hybrid mode horn. E. Lier and C. Stoffels p407
Rigorous analysis of the $TM_{0q}$ modes in a dielectric-post resonator with an annular slot in the upper plate. K.A. Michalski, X. Di and A.W. Glisson p429

Some calculation methods and universal diagrams for measurement of dielectric constants using open-ended coaxial probes. Y. Xu, R.G. Bosisio and T.K. Bose p356

DIODES

Microwave impedance measurements on resonant tunnelling diodes and network model parameter extraction. M.F.C. Schemmann, H.C. Heyker, J.J.M. Kwaspen and Th.G. van de Roer p248
Study of varactor tuned microstrip rhombic resonators. S.H. Al-Charchafchi and P. Kanakaris p383

ELECTROMAGNETIC COMPATIBILITY

Electromagnetic interference of a plane wave incident on superstrate-loaded microstrip circuits. K.-L. Wong p455

ELECTROMAGNETIC THEORY

Discrete complex images of a three-dimensional dipole above and within a lossy ground. J.J. Yang, Y.L. Chow and D.G. Fang p319
Electromagnetic scattering from bodies symmetric with respect to mutually orthogonal planes. R. Vescovo p361
Electromagnetic wave propagation along a chiral slab. H. Cory and I. Rosenhouse p51
Elimination of false singularities in GTD equivalent edge currents. M. Ando, T. Murasaki and T. Kinoshita p289
Finite element method for electromagnetic scattering in a lossy medium. F. Farail, A. Roger and M. Bouthinon p201
Flanged parallel-plate waveguide coupled to a conducting cylinder. C.M. Butler, C.C. Courtney, P.D. Mannikko and J.W. Silvestro p549
Isolation of the travelling wave contribution to the backscatter pattern of conducting cylinders. M.C. de Villiers and J.A.G. Malherbe p417
Iterative solution of the scattering by an arbitrary configuration of conducting or dielectric spheres. A.-K. Hamid, I.R. Ciric and M. Hamid p565
Marching-on-in-frequency method for solving integral equations in transient electromagnetic scattering. A.G. Tijhuis and Z.Q. Peng p347
Matrix interpretation of the spectral iteration technique for 3D dielectric scatterers in the resonance region. A. McCowen and T.V. Tran p219
Numerical modelling technique for the radiation of wire antennas near conducting surfaces. M.A. Hassan p225
Scalar wave scattering by a rough spere: Bourret's approximation for the coherent field of a point source. A.S. Bryukhovetski and L.A. Pazynin p147
Scattering by a buried conducting object of general shape at low frequencies. A. Helaly, A. Sebak and L. Shafai p213
Scattering by a perfectly conducting finite size vertical rectangular plate. J. Gong, N.D. Javasundere, T.S.M. MacLean and Z. Wu p137
Scattering from an impedance cylinder embedded in a nonconcentric dielectric cylinder. R.P. Parrikar, A.A. Kishk and A.Z. Elsherbeni p169
Scattering of a transient electromagnetic wave by a dielectric sphere. M.S. Aly and T.T.Y. Wong p192
TEM wave current distribution on two coaxial arc strips. J. Zehentner p277
TM diffraction by a partly leaky halfplane. S.A. Bokhari, M. Keer and F.E. Gardiol p397
Two stage computation of apertures in finite screens. R. Kastner and N. Herscovici p435
Use of frequency-derivative information in two-dimensional electromagnetic scattering problems. X. Yang and E. Arvas p269

FERRITES AND FERROMAGNETICS

Generalised field theory of irregular waveguide partially filled with longitudinally magnetised ferrite. Y. Rong, W.-B. Dou and S.-F. Li p412

INSTRUMENTATION AND MEASURING SCIENCE

Microwave sensor for moisture measurements in solid materials. T. Lasri, B. Dujardin and Y. Leroy p481

INTEGRATED CIRCUITS

Flip chip-bonded GaAs MMICs compatible with foundry manufacture. D.J. Warner, K.L. Pickering, D.J. Pedder, B.J. Buck and S.J. Pike p74

MATHEMATICAL TECHNIQUES

Iterative solution of the scattering by an arbitrary configuration of conducting or dielectric spheres. A.-K. Hamid, I.R. Ciric and M. Hamid p565
Matrix analysis of split coaxial balun. W.J. Louw p378
Matrix interpretation of the spectral iteration technique for 3D dielectric scatterers in the resonance region. A. McCowen and T.V. Tran p219
On the convergence of matrix elements in planar and waveguide problems. R. Kastner p532
Plane-polar near-field to far-field transformation with three kinds of Fourier-Bessel eigenvalue expansions. C. Cao, E. Van Lil, A. Van de Capelle and K. Van 't Klooster p463
Scalar wave scattering by a rough spere: Bourret's approximation for the coherent field of a point source. A.S. Bryukhovetski and L.A. Pazynin p147
Scattering of a transient electromagnetic wave by a dielectric sphere. M.S. Aly and T.T.Y. Wong p192

MICROSTRIP AND STRIPLINE

Electromagnetic interference of a plane wave incident on superstrate-loaded microstrip circuits. K.-L. Wong p455
Memory controlled feedforward lineariser suitable for MMIC implementation. S. Kumar and G. Wells p9
Modelling of multiple coupled concentric open and closed microstrip ring structure. S. Luo, M. Thorburn and V.K. Tripathi p573
Optical control of wave propagation in microstrip-slot lines at D band. M. Tsutsumi, H. Shimasaki and G.B. Morgan p527
Study of varactor tuned microstrip rhombic resonators. S.H. Al-Charchafchi and P. Kanakaris p383

MICROWAVE CIRCUITS AND NETWORKS

Analysis of TEM cells using the finite-difference technique and the conjugate gradient method. Ching-Chuan Su p261
B.N. Das:P.V.D. Somasekhar Rao:. p265

MICROWAVE INTEGRATED CIRCUITS

AC resistance of two coupled strip conductors. R. Faraji-Dana and Y.L. Chow p37

MICROWAVE MEASUREMENTS

A study of tropospheric scintillations using SODAR. D. Narayana Rao, K. Krishna Reddy, K.S. Ravi, S.V.B. Rao, M.J. Kesava Murthy, H.N. Dutta, S.K. Sarkar and B.M. Reddy p313
Flip chip-bonded GaAs MMICs compatible with foundry manufacture. D.J. Warner, K.L. Pickering, D.J. Pedder, B.J. Buck and S.J. Pike p74
Microwave impedance measurements on resonant tunnelling diodes and network model parameter extraction. M.F.C. Schemmann, H.C. Heyker, J.J.M. Kwaspen and Th.G. van de Roer p248
Microwave sensor for moisture measurements in solid materials. T. Lasri, B. Dujardin and Y. Leroy p481

MICROWAVE PASSIVE COMPONENTS

Analysis of TEM cells using the finite-difference technique and the conjugate gradient method. Ching-Chuan Su p261
Experimental characterisation of a reciprocal microstrip 3-port junction. J. Helszajn and C. Bradley p91

MICROWAVE SYSTEMS

Design of phase velocity tapers in coupled-cavity TWTs. V. Srivastava and R.G. Carter p469

MICROWAVE TUBES

Backward-wave suppression in a very wide-band helix travelling-wave tube using a slow waveguide filter. A.J. Sangster, A. Swan and E.P. Livingston p79

MILLIMETRE WAVE DEVICES AND COMPONENTS

Optical control of wave propagation in microstrip-slot lines at D band. M. Tsutsumi, H. Shimasaki and G.B. Morgan p527
Proposed method for measurement of absorption loss and beam efficiency of large mm-wave reflector antennas in compact antenna test range by using hot and cold loads. A. Lehto, J. Tuovinen and A. Räisänen p13

NOISE AND INTERFERENCE

A study of tropospheric scintillations using SODAR. D. Narayana Rao, K. Krishna Reddy, K.S. Ravi, S.V.B. Rao, M.J. Kesava Murthy, H.N. Dutta, S.K. Sarkar and B.M. Reddy p313
Electromagnetic interference of a plane wave incident on superstrate-loaded microstrip circuits. K.-L. Wong p455
Extended definitions for noise temperatures of linear noisy one- and two-ports. J. Engberg and T. Larsen p86
Memory controlled feedforward lineariser suitable for MMIC implementation. S. Kumar and G. Wells p9

NUMERICAL ANALYSIS

Discrete complex images of a three-dimensional dipole above and within a lossy ground. J.J. Yang, Y.L. Chow and D.G. Fang p319
Finite element method for electromagnetic scattering in a lossy medium. F. Farail, A. Roger and M. Bouthinon p201
Full wave analysis of arbitrarily shaped line-fed microstrip antennas using triangular finite-element method. K.-L. Wu, J. Litva, R. Fralich and C. Wu p421
Iterative calculation of ship-borne HF antenna performance. P.J. Baldwin, A.G.P. Boswell, D.C. Brewster and J.S. Allwright p151
Marching-on-in-frequency method for solving integral equations in transient electromagnetic scattering. A.G. Tijhuis and Z.Q. Peng p347
Matrix interpretation of the spectral iteration technique for 3D dielectric scatterers in the resonance region. A. McCowen and T.V. Tran p219
Numerical analysis of the characteristics of TE-modes of waveguides loaded with inhomogeneous dielectrics. J.-G. Ma p109
Numerical modelling technique for the radiation of wire antennas near conducting surfaces. M.A. Hassan p225
Numerical solution to three-dimensional inverse scattering for dielectric reconstruction purposes. S. Caorsi, G.L. Gragnani and M. Pastorino p497

OPTICS

Experimental assessment of phase retrieval holography of radiotelescope. D. Morris, J.H. Davis and C.E. Mayer p243

OPTOELECTRONICS

Optical control of wave propagation in microstrip-slot lines at D band. M. Tsutsumi, H. Shimasaki and G.B. Morgan p527

PHASING AND PHASE CONTROL

Experimental assessment of phase retrieval holography of radiotelescope. D. Morris, J.H. Davis and C.E. Mayer p243
Symmetric-pair antennas for beam steering, direction finding or isotropic-reception gain. R. Benjamin, W. Titze, P.V. Brennan and H.D. Griffiths p368

RADAR AND RADIONAVIGATION

Isolation of the travelling wave contribution to the backscatter pattern of conducting cylinders. M.C. de Villiers and J.A.G. Malherbe p417
Scattering from an impedance cylinder embedded in a nonconcentric dielectric cylinder. R.P. Parrikar, A.A. Kishk and A.Z. Elsherbeni p169
Ultra-wideband beamforming in sparse arrays. F. Anderson, W. Christensen, L. Fullerton and B. Kortegaard p342

RADIATION

Plane-polar near-field to far-field transformation with three kinds of Fourier-Bessel eigenvalue expansions. C. Cao, E. Van Lil, A. Van de Capelle and K. Van 't Klooster p463

Theoretical and experimental study of feed network effects on the radiation pattern of series-fed microstrip antenna arrays. K.-L. Wu, M. Spenuk, J. Litva and D.-G. Fang p238

**RADIO-WAVE PROPAGATION (IONOSPHERIC)**

Measurements of the direction of arrival of HF sky wave signals and single site location using a seven element wide aperture (294 m) interferometer array. E.M. Warrington and T.B. Jones p121

**RADIO-WAVE PROPAGATION (MICROWAVE)**

Review on radio propagation into and within buildings. D. Molkdar p61

**RADIO-WAVE PROPAGATION (MILLIMETRE WAVE)**

Attenuation statistics at 20.6, 31.65 and 52.85 GHz derived from emission measurements by ground-based microwave radiometers. E. Fionda, M.J. Falls and E.R. Westwater p46

**RADIO-WAVE PROPAGATION (TERRAIN EFFECTS)**

Path integral analysis of paralaxial radiowave propagation over a nonlevel plateau. D.E. Eliades p521
Review on radio propagation into and within buildings. D. Molkdar p61
Scattering by a perfectly conducting finite size vertical rectangular plate. J. Gong, N.D. Jayasundere, T.S.M. MacLean and Z. Wu p137

**RADIO-WAVE PROPAGATION (TROPOSPHERIC)**

A study of tropospheric scintillations using SODAR. D. Narayana Rao, K. Krishna Reddy, K.S. Ravi, S.V.B. Rao, M.J. Kesava Murthy, H.N. Dutta, S.K. Sarkar and B.M. Reddy p313

**RADOMES**

Influence of supporting dielectric layers on the transmission properties of frequency selective surfaces. P. Callaghan, E.A. Parker and R.J. Langley p448

**RECEIVERS**

Microwave and millimetre-wave receivers with integral antenna. C.J. Alder, C.R. Brewitt-Taylor, M. Dixon, R.D. Hodges, L.D. Irving and H.D. Rees p253

**REMOTE SENSING**

Scattering by a buried conducting object of general shape at low frequencies. A. Helaly, A. Sebak and L. Shafai p213

**SATELLITE LINKS AND SPACE COMMUNICATION**

Attenuation statistics at 20.6, 31.65 and 52.85 GHz derived from emission measurements by ground-based microwave radiometers. E. Fionda, M.J. Falls and E.R. Westwater p46
Flat-plate steerable antennas for satellite communications and broadcast reception. M.C.D. Maddocks and M.S. Smith p159
Low cost phased array antenna for land-mobile satcom applications. P.V. Brennan p131

**SIMULATION**

An improvement to the transmission line model of the folded dipole. A.R. Clark and A.P.C. Fourie p577
Modelling of multiple coupled concentric open and closed microstrip ring structure. S. Luo, M. Thorburn and V.K. Tripathi p573

**TRANSMISSION LINES**

An improvement to the transmission line model of the folded dipole. A.R. Clark and A.P.C. Fourie p577
Development of ferrite line pulse sharpeners for repetitive high power applications. R. Pouladian-Kari, A.J. Shapland and T.M. Benson p504
Hybrid quasistatic analysis for multilayer coplanar lines. C.-N. Chang, Y.-C. Wong and C.H. Chen p307

**TRANSMITTERS**

Vector circuit method for calculating reflection and transmission of electromagnetic waves in multilayer chiral structures. M.I. Oksanen, J. Hänninen and S.A. Tretyakov p513

**WAVEGUIDES AND WAVEGUIDE COMPONENTS**

Analysis of a post with arbitrary cross-section and height in a rectangular waveguide. Y. Huang, N. Yang, S. Lin and R.F. Harrington p475
Analysis of a variable height metallic strip in a rectangular waveguide. A. Datta, B.N. Das and A. Chakraborty p386
Analysis of rectangular corrugated structures. L.C. da Silva and S. Ghosh p335
B.N. Das:P.V.D. Somasekhar Rao:. p265
Backward-wave suppression in a very wide-band helix travelling-wave tube using a slow waveguide filter. A.J. Sangster, A. Swan and E.P. Livingston p79
Comparison between different rectangular horn elements for array antenna applications. F. Lier, S. Rengarajan and Y. Rahmat-Samii p283
Determination of sever positions in coupled-cavity TWTs. V. Srivastava and R.G. Carter p55
Dispersion curves and fields for a chiral slab waveguide. M. Oksanen, P.K. Koivisto and I.V. Lindell p327
Double valued phase constants in gyrotropic waveguides. A.A.P. Gibson, R. Sloan, L.E. Davis and D.K. Paul p258
Electromagnetic wave propagation along a chiral slab. H. Cory and I. Rosenhouse p51
Flanged parallel-plate waveguide coupled to a conducting cylinder. C.M. Butler, C.C. Courtney, P.D. Mannikko and J.W. Silvestro p549
Generalised field theory of irregular waveguide partially filled with longitudinally magnetised ferrite. Y. Rong, W.-B. Dou and S.-F. Li p412
Hybrid quasistatic analysis for multilayer coplanar lines. C.-N. Chang, Y.-C. Wong and C.H. Chen p307
Numerical analysis of the characteristics of TE-modes of waveguides loaded with inhomogeneous dielectrics. J.-G. Ma p109
On the convergence of matrix elements in planar and waveguide problems. R. Kastner p532
Optical probing of millimetre waves in semiconductor waveguides. A. Alphones and M. Tsutsumi p460
Propagation and radiation characteristics of rectangular dielectric-loaded hybrid mode horn. E. Lier and C. Stoffels p407
Rigorous analysis of the $TM_{0n}$ modes in a dielectric-post resonator with an annular slot in the upper plate. K.A. Michalski, X. Di and A.W. Glisson p429
Theory for cylindrical, open ended, complex cavities supporting all $TE_{0n}$ modes: Gyrotron application. L. Jiang and R.A. Schill p297